



# SAPIA NEWS

SOUTHERN AFRICAN PLANT INVADERS ATLAS

October 2012

ARC-Plant Protection Research Institute

No. 26



environmental affairs

Department:  
Environmental Affairs  
REPUBLIC OF SOUTH AFRICA

## KZN south coast—biodiversity lost!

The Indian Ocean Coastal Belt that extends from East London in the Eastern Cape northwards through KwaZulu-Natal to the Mozambique border is the most threatened biome in South Africa. The mosaic of forest, bushveld and grassland that constitutes this biome has been largely destroyed and transformed by the development of cities, ports, industries, sugarcane and other plantations, roads and holiday homes. The remaining relics are being bombarded by invasive alien trees, shrubs, climbers, herbs, grasses and ferns—almost all of which, are ornamentals. The tragedy is that the extremely rich indigenous plant biodiversity is being replaced with a species-poor assemblage of alien plants that have little to offer the environment and its wildlife.

This SAPIA News is a plea to the residents and municipalities of the KZN south coast, which has suffered the greatest loss in biodiversity, to preserve what remains of their natural heritage; to control, or eradicate invasive alien plants wherever possible, and to replace them with indigenous plants. Some of the worst invasive plants, and newly emerging species, are illustrated in this newsletter.

### Inside this issue:

Spotlight on invasive alien plants on the KZN south coast	1
Well established species that are declared under CARA	2 & 3
Proposed invaders under NEMBA	4 & 5
Newly emerging species	5
What can you do to conserve biodiversity?	6

Editor and SAPIA co-ordinator:  
Lesley Henderson  
ARC-PPRI, Weeds Research Programme  
c/o SANBI  
Private Bag X101  
Pretoria  
0001  
South Africa

e-mail: [L.Henderson@sanbi.org.za](mailto:L.Henderson@sanbi.org.za)  
Tel: 012 843 5035  
Fax: 012 804 3211  
website:  
[www.agis.agric.za/wip](http://www.agis.agric.za/wip)

Articles and photos by Lesley Henderson unless otherwise acknowledged

SAPIA newsletters are posted at the ARC website: [www.arc.agric.za](http://www.arc.agric.za) under 'News Articles'



A piece of precious coastal forest? Not any more! The relic patches of forest that survive between holiday houses and shops have been reduced to garbage dumps of human litter and invasive alien ornamentals! Pictured here is arrowhead vine or goosefoot, scrambling up the trunk of a tree and a carpet of Singapore daisy—just two of more than 100 alien ornamentals known to be invasive along the KZN south coast.

Requests for information from the SAPIA database and submission of records of invasive plants should be sent directly to Lesley Henderson at [L.Henderson@sanbi.org.za](mailto:L.Henderson@sanbi.org.za). Descriptions and photos of most of the species mentioned in this newsletter can be found at the Weeds and Invasive Plants website: [www.agis.agric.za/wip](http://www.agis.agric.za/wip)

## Well established species that are declared under CARA




CARA (Conservation of Agricultural Resources Act, Act 43 of 1983), amended in 2001:

**C1:** category 1: prohibited; no trade or cultivation permitted

**C2:** category 2: allowed in demarcated areas; permit required;

**C3:** category 3: no more trade or cultivation of new plants

At least 80 species of invasive alien ornamental plants are well established on the KZN south coast. Other declared species not illustrated here include: peanut butter cassia (*Senna didymobotrya*) (C3), rambling cassia (*Senna bicapsularis*) (C3\*), *Senna pendula* (C3\*), castor-oil (*Ricinus communis*) (C2\*), yellow oleander (*Thevetia peruviana*) (C1), granadina (*Passiflora subpeltata*) (C1), Mauritius thorn (*Caesalpinia decapetala*) (C1), leucaena (*Leucaena leucocephala*) (C2), jambolan (*Syzygium cumini*) (C3\*), drooping prickly pear (*Opuntia monacantha*) (C1), mulberry (*Morus alba*) (C3\*\*), pearl acacia (*Acacia podalyriifolia*) (C3\*), pom pom weed (*Campuloclinium macrocephalum*) (C1), Formosa lily (*Lilium formosanum*) (C3\*), Mexican ageratum (*Ageratum houstonianum*) (C1), ginger lilies (*Hedychium* spp.) (C1), Indian laurel (*Litsea glutinosa*) (C1), strawberry guava (*Psidium cattleianum*) (C3\*).



\*Several species have been upgraded from category 3 or 2 to Category 1 under the revised CARA which has not yet been promulgated; \*\*mulberry may be upgraded to category 2 under the revised CARA; #sword fern is mostly *N. cordifolia* which has been proposed as category 1 under the revised CARA

### More well established species that are declared under CARA



C1

Giant reed (*Arundo donax*)



C1

Tree daisy (*Montanoa hibiscifolia*)



C1

Yellow bells (*Tecoma stans*)



C1

Coral bush (*Ardisia crenata*)



C1

Indian shot (*Canna indica*)



C1

Bloodberry (*Rivina humilis*)



C1

Climber

Indigo berry (*Passiflora suberosa*)



C1

Climber

Morning glory (*Ipomoea indica*)



C1

Climber

Balloon vine (*Cardiospermum grandiflorum*)


Photo: S Nesar



C1

Climber

Potato creeper (*Solanum seaforthianum*)




C1

Climber

Succulent climbers that grow from plant fragments. All parts need to be killed or disposed of properly. Do not leave pieces on the ground or throw them over the garden fence!

aerial tubers fall to ground and take root

Madeira vine (*Anredera cordifolia*)



C1

Climber

Pereskia (*Pereskia aculeata*)



C1

Climber

smothering, clinging creeper that grows from subterranean tubers

Cat's claw creeper (*Macfadyena unguis-cati*)

## Species proposed under NEMBA

The following species have been proposed as declared invaders under the National Environmental Management: Biodiversity Act, Act 10 of 2004 (NEMBA).

Arrowhead vine or goosefoot (*Syngonium podophyllum*) is a vigorous climber that can make forest trees top heavy and susceptible to wind damage; it also forms a dense ground cover that is impenetrable to other plants. It spreads from plant fragments and from seed.



Photo: H Sithole

Arrowhead vine (*Syngonium podophyllum*)



Queensland umbrella tree (*Schefflera actinophylla*)



Dwarf umbrella tree (*Schefflera arboricola*)

*Schefflera actinophylla*, *S. arboricola* and *S. elegantissima* (false aralia, with toothed leaf margins) can invade forest. Their seeds are dispersed by birds and often germinate in leaf bases of palms or in the forks of trees, growing as epiphytes until their roots reach the ground—much like strangler figs.

**These species pose a huge threat to the conservation of coastal forest. Urgent steps are needed to stop further cultivation and to eradicate these plants.**

Both variegated and non-variegated forms are present and produce seed

The indigenous *Schefflera umbellifera* should be cultivated instead of these invasive aliens.



Three-leaf vitex (*Vitex trifolia*)



Australian crimson oak (*Grevillea banksii*)



Shoebutton ardisia (*Ardisia elliptica*) is bird-dispersed and shade tolerant, invading moist forest and water-courses.



Spiderwort (*Tradescantia fluminensis*)



Wandering Jew (*Tradescantia zebrina*)



Creeping inch plant (*Callisia repens*)

**a, b & c** are dense groundcovers that smother forest undergrowth. All grow from plant fragments which should not be left on the ground or thrown over the garden fence!

### More proposed species under NEMBA



Shell ginger (*Alpinia zerumbet*)



Dutchman's pipe (*Aristolochia elegans*)



Snakeweeds (*Stachytarpheta* spp.)



Canadian elder (*Sambucus canadensis*)




Tickseed (*Coreopsis lanceolata*) (a) and veined verbena (*Verbena rigida*) (b) invade grasslands

### Emerging invasive species




Silver vine (*Epipremnum aureum*)



Rabbit's foot fern (*Phlebodium aureum*)



Brush-cherry (*Syzygium paniculatum*)



Blue trumpetvine (*Thunbergia grandiflora*)



Polka dot plant (*Hypoestes phyllostachya*)



Mexican blue-bells (*Ruellia simplex*)

Watch out for these garden escapes: nasturtium (*Tropaeolum majus*), Inca lilies (*Alstroemeria* spp.), scarlet firespike (*Odontonema cuspidatum*), red-cloak (*Megaskepasma erythrochlamys*). Send records of these species and any others that you are aware of to L.Henderson@sanbi.org.za. ■ Target of early detection: report sightings to alienplants@sanbi.org.za (see SAPIA News no. 23)

## What can you do to help conserve biodiversity on the KZN coast?

Eradicate invasive plants on your property. If this is not possible then you should try to stop them from spreading.

**WESSA** (Wildlife and Environment Society of South Africa) has a handbook called *Invasive Alien Plants in KwaZulu-Natal—Management and Control*. It deals with 40 of the most common invasive species. It is available from WESSA KZN offices at 031 201 3126

Replace alien plants in your garden with indigenous plants, preferably those that are locally indigenous.

The two books shown here are recommended as a start for anyone wanting to make a contribution to conserving indigenous plant and animal biodiversity.

**Bring Nature Back to Your Garden**, by Charles and Julia Botha, 2010, is available from the Flora and Fauna Publications Trust, c/o Natal Herbarium, Botanic Gardens Road, Durban, 4001. [www.floratrustkzn.co.za](http://www.floratrustkzn.co.za)

**112 Plants for You and Your Bushbuck**, by Geoff Nichols, 2009, available at [www.floratrustkzn.co.za](http://www.floratrustkzn.co.za)

Other recommended literature on indigenous plants:

**A Field Guide to Wild Flowers of KwaZulu-Natal and the Eastern Region**, Elsa Pooley

**Pooley's Trees of Eastern South Africa**, Richard Boon


**Gardening with Indigenous Shrubs**, David & Sally Johnson, Geoff Nichols



To raise awareness of the socio-economic and environmental impacts caused by invasive alien species

Contact Lynne Thompson [lynne@stopthespread.co.za](mailto:lynne@stopthespread.co.za) Tel: 031 266 2603 Fax: 031 266 2603 Cell: 072 183 7530 URL: [www.wessa.org.za](http://www.wessa.org.za)

"Every foreign plant in the garden is a wasted opportunity to contribute to local biodiversity"



A guide to enhancing habitat value by planting local ground-covers and shrubs that feed and shelter wildlife.

Contact Geoff Nichols Horticultural Services, for advice on indigenous plants, habitat gardening, and eradication of invasive alien plants: P.O. Box 83, Anerley, 4230, phone: 039 681 3052, mobile: 083 627 3945, e-mail: [grnicho@iafrica.com](mailto:grnicho@iafrica.com)

## ARC-PPRI, WEEDS RESEARCH PROGRAMME

### ARC-Plant Protection Research Institute

Weeds Research Programme  
Private Bag X134  
Queenswood  
0121  
South Africa

Phone: +27 (0)12 356 9840  
Fax: +27 (0)12 356 9852

Contact: Acting Programme Manager:  
Dr Roger Price  
e-mail: [PriceR@arc.agric.za](mailto:PriceR@arc.agric.za)

General enquiries: Mrs Hildegard Klein  
e-mail: [KleinH@arc.agric.za](mailto:KleinH@arc.agric.za)



The Weeds Research Programme of the ARC-Plant Protection Research Institute is responsible for research on the ecology and control of invasive alien plants in South Africa. These plants were introduced either intentionally (e.g. for ornamental use or agroforestry purposes), or accidentally (e.g. in livestock feed) and now threaten biodiversity and agriculture. In addition, they reduce run-off from water catchments, thus diminishing flow in streams, and adversely affect the quality of life of communities.

- Biological control
- Chemical control
- Bioherbicides
- Integrated control
- Monitoring the emergence and spread of invasive alien plants

We are on the Web:

[www.arc.agric.za](http://www.arc.agric.za)

Quick link:

**Invasive alien plants**

see Plant Protection News

for current news from the  
Weeds Research  
Programme